Serial No. 10/532,140

IN THE CLAIMS:

(Currently Amended) An aromatic amine derivative represented by the following Formula
 (1):

$$Ar^{1}$$
 $N-Ar^{7}$
 $Ar^{8}-N$
 Ar^{10}
 Ar^{4}
 Ar^{6}
 Ar^{6}

wherein Ar^1 to Ar^2 each represent a substituted or non-substituted condensed aryl group having 10 to $50 \ \underline{18}$ nuclear carbon atoms; Ar^3 to Ar^6 each represent a substituted or non—substituted aryl group having 6 to $50 \ \underline{18}$ nuclear carbon atoms; Ar^7 to Ar^{10} each represent a substituted or non-substituted arylene group having 6 to $\underline{50} \ \underline{18}$ nuclear carbon atoms; substituents of Ar^7 and Ar^8 may form a ring;

L represents a single bond, an ether bond, a thioethers bond, a substituted or non-substituted arylene group having 6 to $50 \ \underline{18}$ nuclear carbon atoms, a substituted or non-substituted heteroarylene group having 6 to $50 \ \underline{18}$ nuclear carbon atoms, a substituted or non-substituted alkylene group having 1 to $50 \ \underline{18}$ carbon atoms or a substituted or non-substituted alkylidene group having 2 to $50 \ \underline{18}$ carbon atoms;

provided that the conditions of (1) and/or and (2) are satisfied:

- (1) at least one of Ar^3 to Ar^6 is a substituted or non—substituted condensed aryl group having 10 to $\frac{50}{8}$ 18 nuclear carbon atoms and
- (2) at least one of Ar^1 to Ar^2 is a substituted or non-substituted condensed aryl group having 12 to $50 \ 18$ nuclear carbon atoms.
- 2. (Original) The aromatic amine compound as described in claim 1, wherein it is a hole injecting material.
- 3. (Withdrawn) An organic electroluminescent element in which an organic thin film layer comprising a single layer or plural layers including at least a light emitting layer is interposed between a cathode and an anode, wherein at least one layer of the above organic thin film layers contains the aromatic amine derivative as described in claim 1 in the form of a single component or a mixed component.
- 4. (Withdrawn) The organic electroluminescent element as described in claim 3, wherein the organic thin film layer described above has a hole transporting zone, and the above hole transporting zone contains the aromatic amine derivative as described in claim 1 in the form of a single component or a mixed component.
- 5. (Withdrawn) The organic electroluminescent element as described in claim 3, wherein the organic thin film layer described above has a hole injecting layer, and the above injecting layer

Serial No. 10/532,140

contains the aromatic amine derivative as described in claim 1 in the form of a single component or a mixed component.

6. (Withdrawn) The organic electroluminescent element as described in any of claims 3 to 5, wherein it emits blue light.